

<b>strlen()</b> — Length of string in bytes
---

<a href="#">Description</a>	<a href="#">Syntax</a>	<a href="#">Remarks and examples</a>	<a href="#">Conformability</a>
<a href="#">Diagnostics</a>	<a href="#">Also see</a>		

## Description

`strlen(s)` returns the length of—the number of bytes contained in—the string *s*.

When *s* is not a scalar, `strlen()` returns element-by-element results.

## Syntax

*real matrix*    `strlen(string matrix s)`

## Remarks and examples

stata.com

Stata understands `length()` as a synonym for its `strlen()` function. Do not, however, use `length()` in Mata when you mean `strlen()`. Mata's `length()` function returns the length (number of elements) of a vector.

Use `ustrlen()` to obtain the length of a string in Unicode characters. Use `udstrlen()` to obtain the length of a string in display columns.

## Conformability

`strlen(s):`

<i>s</i> :	$r \times c$
<i>result</i> :	$r \times c$

## Diagnostics

`strlen(s)`, when *s* is a binary string (a string containing binary 0), returns the overall length of the string, not the location of the binary 0. Use `strpos(s, char(0))` if you want the location of the binary 0; see [M-5] `strpos()`.

## Also see

[M-5] `fmtwidth()` — Width of %fmt

[M-5] `strpos()` — Find substring in string

[M-5] `udstrlen()` — Length of Unicode string in display columns

[M-5] `ustrlen()` — Length of Unicode string in Unicode characters

[M-4] **String** — String manipulation functions

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow and NetCourseNow are trademarks of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.

For suggested citations, see the FAQ on [citing Stata documentation](#).

